| Work Orde July-05-12 1:16 | er ID 8659 6:51 PM | 1 | | *865 | 91* | | | | | | Page 1 |
|---|-------------------------------|------------------------------------|-------------------------------|---|-----------------------|------------|--------------|---------------|---------------|------------------|-------------------------|
| Iteşn ID: Revision ID: Item Name: | D350-607-145 Automatic Lid Op | pener Installation | | Accept | *N900 | <u>040</u> | 100 |)* s | etup Sta | 1.71 | S1* S2* |
| Start Date: Required Date: | 7/05/12 S | Start Qty: 1.00 Req'd Qty: 1.00 | *1* *1* | | Cust Item 1 Customer: | ID: | | | | | |
| Reference: Approvals: | Process Plan: | CL | Date: 2/07/0 | 5 Tooling: | D | ate: | | F | Run Sta | 17 | R1* |
| ** | QC: | | Date: | SPC (Y/N): | D | ate: | | | Sto | *N | R2* |
| Sequence ID/ Work Center I | | peration escription | | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
| Draw Nbr | Revisio | on Nbr | | | | | | | | | |
| D350-607-1 | Α | | | | | | | | | | |
| *1 \\n^* DC Document Control | | Memo Photocopy CHG001 | / bluefile &type labels per P | 0.00 0.00 16 PP D350-607-145 | Werly B | | | | | | |
| 110 | P | rick Kit | | 0.00 | | | | , | | | 50 <u>12/09/11</u> J |
| *110* Packaging Packaging | | Memo | | 0.00 | | | | | | | 12/09/11/ |
| 120 *120* | (| QC4- 100% Inspect ki | its for completeness | 0.00 \A \$\ 16 | Mahy | | | | / | | |
| QC Quality Control | | Memo | | 0.00 | | | | | | | |

| | 120.00 | | | | | | | | |
|---------|--------|-------------------|----------------------|---------------------------------------|------------|---------|---------|-------------------------------|--------------------------|
| W/O: | | | WC | RK ORDER CHANGE | S | | | | • |
| DATE | STEP | PRO | OCEDURE CHAI | IGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Appròval QC Inspector |
| | | | | | | | | | • |
| | | | | | | | | | * |
| | | | | | | | | | |
| Part No | : | PAR #: | Fault Cate | jory: | NCR: Ye | s No DO | QA: | Date: | |
| | | esolution: | | | | | | | |
| NCR: | | | WORK ORDE | R NON-CONFORMA | NCE (NO | CR) | | | |
| DATE | OTED | Description of NC | | Corrective Action Section | | Verif | ication | Approval | Approval |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sig: Da | 1&r Sec | tion C | Chief Eng | QC Inspector |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | : | |
| | | | | · · · · · · · · · · · · · · · · · · · | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 1 | | | | | ĺ | | | | |

0.00

Memo

Quality Control

#12-09-18

| Duit Ac | ospace | Ltu | | | | | | | | | | |
|---------|--------|-------------------|----------------------|------------------------------|------------------------|-----------|--------|-----------------------------------|--------------------------|--|--|--|
| W/O: | | | WORK ORDER CHANGES | | | | | | | | | |
| DATE | STEP | PRO | OCEDURE CHAP | NGE | Ву | Date (| Qty ch | oproval nief Eng / Prod Mgr | Approval QC Inspector | | | |
| | | | | | | | | | ••• | | | |
| | | | | | | | | | • | | | |
| | | • | | | | | | | | | | |
| | | | | | | | | · - - · | | | | |
| Part No | : | PAR #: | Fault Categ | NCR: Yes | R: Yes No DQA: Date: _ | | | | | | | |
| | Re | solution: | Disposition |); · | _ QA: N/C CI | osed: | | Date: _ | | | | |
| NCR: | | | WORK ORDE | R NON-CONFORMA | NCE (NCR |) | | | • | | | |
| | | Description of NC | | Corrective Action Section | | Verificat | ion Ar | oproval | Approval | | | |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section | | chief Eng | QC Inspector | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | · | | | | | | | | | | |
| | | • | | | | | | | | | | |
| | | | | | | | | | | | | |

Picklist Print

July-05-12 1:16:51 PM

Work Order ID:

86591

Parent Item:

D350-607-145

Parent Item Name:

Automatic Lid Opener Installation

Start Date: 7/05/12

Required Date: 7/20/12

Page 1

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP RevA: New issue DD verified by:EC

IPP RevB: as per dwg revC DD

10.01.18 verified by:EC

IPP Rev:C as per ecn10-545 DD 10.04.19 verified by:EC

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq 1D | Unit of Measur | | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|-------------------|----------|-------------|------------------|---------------|----------------|--------|
| D3953 1 Gas Spring Bracket | | Manufactured | No | | | 110 | Each | 13.0000 | |) 1 | 13 | | |
| | | | | Location | | Loc Oty |] | Loc Code | | | | | |
| | | | | ST075 | | 13 | | | | | | | |
| 1 | | | | 537 | 60 | 13 | | | _53 | 3760 | | | No. |
| 3953-3 as Spring Stud, Lid | | Manufactured | No | | | 110 | Each | 29.0000 | 1 | 592 | 10 | | 54 |
| | | | | Location | | Loc Qty |] | Loc Code | | | | | |
| | | | | ST075 | | 29 | | | | | | | |
| -) | | | | 857 | 88 | 29 | | | | , | | | 1 |
| 3953-5 as Spring Stud, Base | | Manufactured | No | | | 110 | Each | 0.0000 | 1 88 | 1958 | 10 | | 50 |
| 3953-7) pring Spacer | | Manufactured | No | | | 110 | Each | 37.0000 | 7 |) 1 1444 | 130 | | Sy |
| | | | | Location | | Loc Qty | | Loc Code | | | | | |
| | | | | ST075 | | 37 | | | | | | | |
| | | | | 829 | | 7 | | | | | | | |
| _ /) | | | | 857 | 189 | 30 | | | | | 10 | | 2 |
| 3953-9 as Spring Washer | | Manufactured | No | | | 110 | Each | 17.0000 | 2 7 | 539 ² | | , | 54 |
| \ | | | , | Location | | Loc Qty | | Loc Code | | | - | | |
| λ | | | | ST075 | - | 17 | | | | | | | |
| | | | | 829 | 941 | 17 | | | | 生 | | | Lec |
| 3953-11 as Spring Spacer | | Manufactured | No | | | 110 | Each | 3.0000 | [1 8] | 1089 | 21 | 3 | 121 |
| | | | | Location | | Loc Qty | | Loc Code | | | · | | |
| | | | | ST075 | | 3 | | | | | | | |
| | | | | 793 | 338 | 3 | | | _ | | | | |

| W/O: | | | WC | RK ORDER CHANG | ES | | 74. | T , | * [†] , |
|-------------|----------|-------------------|----------------------|------------------------------|--------------|---------|----------|--------------------------------|---------------------------------------|
| DATE | STEP | PRO | OCEDURE CHA | NGE | Ву | Date | Qty | Approval Chief Eng /. Prod Mgr | Approval QC Inspector |
| | | | | | | | | | V.e |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | <u> </u> | | |
| Part No | | PAR #: | | | | | | | • |
| | R | esolution: | | | | | | Date: _ | · · · · · · · · · · · · · · · · · · · |
| NCR: | | , | WORK ORDI | ER NON-CONFORMA | NCE (NC | R) | | | |
| DATE | STEP | Description of NC | | Corrective Action Secti | | Verific | cation | Approval | Approval |
| DAIL | SIEF | Section A | Initial Chief Eng | Action Description Chief Eng | Sign Date | & Sect | ion C | Chief Eng | QC Inspector |
| | | | | | | | | | - |
| | | | | | | | | | |
| | | | | | | | | | |
| | <u> </u> | | | | | | | | • |
| • | | | | | | | | | |
| | | | | | | | | | , |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | 1 | | | | 1 | | | 1 | 1 |

July-05-12 1:16:51 PM

| Work Order ID: Parent Item: | 86591 D350-607-145 | | | | Star | t Date: 7/05/12 | Required Date | e: 7/20/12 |
|--------------------------------|-----------------------------------|-----|------------------|----------------|-----------|-----------------|---------------|---------------------|
| Parent Item Name: | Automatic Lid Opener Installation | | | | | rt Qty: 1.00 | Required Qty | |
| D3953-13 Gas Spring Spacer | Manufactured | No | | 110 Each | | | |) |
| Gas Spring Spaces | | | <u>Location</u> | Loc Qty | Loc Code | | | |
| 0 | | | ST075 | 10 | | | | |
| | | | 52761 | 10 | | 52761 | | 60 |
| D3969-1 Spring (Basket Lid) | Manufactured | No | | 110 Each | 23.0000 | | 78 | SK |
| | | | <u>Location</u> | Loc Oty | Loc Code | | 0 | |
| | | | ST272 | 23 | | | | |
|) | | | 73523 84424 | 3 20 | | 74424 | | A |
| (AN3CIIA | Purchased | No | 84424 | 110 Each | a 36.0000 | 2 2 | Ula | $\mathcal{A}^{(1)}$ |
| BOLT | , u | | | | | ~ <u>-</u> | 10 | 76 |
| | | | Location | Loc Oty | Loc Code | | | |
| | | | ST351 | 36 | | 119198 | 7 | |
| (1000010 | D 1 1 | No | 119798 | 36 110 Each | h 37.0000 | 119-10 | | c/ |
| AN3C16A Boli | Purchased | 110 | | 110 Eaci | 37.0000 | 122814 | 30 | <i>S</i> ₩ |
| | | | <u>Location</u> | Loc Qty | Loc Code | | • | |
| | | | ST352 | 37 | | | | Λ |
| 1 | | | 115835 | 1 | | | | 1h |
| | | | 121349 121652 | 25 11 | | | | |
| AN310-4 | Purchased | No | 121032 | 110 Each | h 98.0000 | <u></u> | 2 / | |
| NUT | i urchaseu | | | | | | 15 | 12/09/11 |
| | | | Location | Loc Qty | Loc Code | | • | |
| | • | | ST344 | 98 | | | | |
| | | | 121349 | 2 | | 10/90- | 1 | |
| | | | 121827 | 96 | | 12182 | l | |

| Duit Au | ospace | Liu | | | | | | | |
|---------|--------|-------------------|----------------------|------------------------------|--------------|---------|--------------|-------------------------------------|---------------------------|
| W/O: | | , | WO | RK ORDER CHANG | GES | | | j | A & |
| DATE | STEP | PRO | OCEDURE CHAI | NGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval, QC Inspector |
| | | | | | | | | | 4, , |
| | | | | | | | | | , |
| | | | | | | | | | |
| | | • | | | - | | | | |
| | | | | | | | | | |
| Part No | : | PAR #: | Fault Categ | jory: | NCR: Yes | No DQ | A : | Date: _ | |
| | R | esolution: | Disposition |): <u>'</u> | QA: N/C C | closed: | | Date: _ | |
| NCR: | | | WORK ORDE | R NON-CONFORM | ANCE (NC | R) | | | |
| DATE | CTED | Description of NC | | | ction B | Verifi | cation | Approval | Approval |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign Date | & Sect | ion C | Chief Eng | QC Inspector |
| • | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | ٠ | | |
| | | | | | | | | | |
| | | | | | | | - | | |
| | | | | | | | | | |
| | | | | | | | | | |

July-05-12 1:16:51 PM

| Work Order ID: | 86591 | | | | | | | | | | |
|-------------------|-----------------------------------|----|----------------|------------------|------------|------|------------|---------------|-------------|----------------|------------------|
| Parent Item: | D350-607-145 | | | | | | Start | Date: 7/05/12 | | Required Date: | : 7/20/12 |
| Parent Item Name: | Automatic Lid Opener Installation | | | | | | Star | t Qty: 1.00 | | Required Qty | : 1.00 |
| MS21043-3 | Purchased | No | | | 110 | Each | 1,128.0000 | | 4 | 135 | <u>5</u> |
| 7 | | | Location | <u>ì</u> | Loc Oty | | Loc Code | | | | |
| 5 | | | FG | | 72 | | | - | | | |
| | | | | 103691 | 72 | | | , | | | |
| | | | ST301 | | 1056 | | | | | | |
| | | | | 118077 | 2 | | | | | | |
| | | | | 118614 | 12 | | | | | | |
| | | | | 118686 | 30 | | | | | | |
| | | | | 119758 | 20 | | | | | | |
| | | | | 121255 121708 | 103 889 | | | 121 | 108 | | |
| MS24665=2-12 | Purchased | No | | 121700 | 110 | Each | 126,0000 | 2 | 2 | L | |
| COTTER-PIN | i dichased | | | | | | | | | JB | |
| | | | <u>Locatio</u> | <u>n</u> | Loc Qty | | Loc Code | | | • | - -// |
| | | | ST309 | | 126 | | | | - A 40 C | - | |
| 1 | | | | 118078 | 126 | | | 118 | 078 | • | <i>a</i> 0 |
| NAS1149C0332R | Purchased | No | | | 110 | Each | 9,144.0000 | 4 | 4 | 18 | 30 |
| Washer | | | | | | | | | | | <u> </u> |
| | | | Locatio | <u>n</u> | Loc Oty | | Loc Code | | | | • |
| | | | 297 | | 9122 | | | | | | |
| | | | | 122063 | 9122 | | | 122 | <u>06</u> 3 | | |
| _ | | | ST297 | | 22 | | | | | | P |
| | | | | 121509 | 22 | | | | | | £Ô |
| NAS1149C0432R | Purchased | No | | | 110 | Each | 3,402.0000 | <u>_2</u> | 2 | - a n | |
| SWasher | T di citato d | | | | | | | · · · · · | | | 12/09/11 |
| | | | Locatio | <u>n</u> | Loc Qty | | Loc Code | | | | • |
| | | | ST297 | | 1070 | | | | | | |
| | | | | 117291 | 70 | | | | | | |
| | | | | 119124 | 1000 | | | <u>-</u> | | | |
| | | | ST298 | | 2332 | | | | | | |
| | | | | 121255 | 2332 | | | 12 | 125 | 5 | |

| W/O: | | | WC | RK ORDER CHAN | GES | | | F ~ | ٠, |
|---------|------|-------------------|----------------------|------------------------------|--------------|---------|-------|-------------------------------------|---------------------------|
| DATE | STEP | PR | OCEDURE CHAI | NGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval, QC Inspector |
| | | | | | | | | | · · |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | - | | | |
| Part No | | PAR #: | | | | | | | |
| | Res | olution: | Disposition | n: <u></u> | QA: N/C C | losed: | | Date: _ | |
| NCR: | | | WORK ORDE | ER NON-CONFORM | ANCE (NCI | ₹) | • | | |
| DATE | STEP | Description of NC | | | ction B | Verific | ation | Approval | Approval |
| | 0.2. | Section A | Initial Chief Eng | Action Description Chief Eng | Sign of Date | | on C | Chief Eng | QC Inspector |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | • | | | |
| | | · | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

D350-607-1 Page 22 of 22

6.3 D350-607-141/-143/-145 AUTOMATIC LID OPENER INSTL

| Qty -141 | Qty -143 | Qty -145 | Part Number | Description |
|-------------|-------------|-------------|-----------------|--|
| х | | ~ | D350-607-141 | AUTOMATIC LID OPENER INSTL (FOR USE ON -041 BASKET) |
| | Х | | D350-607-143 | AUTOMATIC LID OPENER INSTL. (FOR USE ON -043/-047 BASKET) |
| | | Х | D350-607-145 | AUTOMATIC LID OPENER INSTL (FOR USE ON -045 BASKET) |
| 2 | | | D3953-1 / | GAS SPRING BRACKET |
| 2 | 1 / | 1 | D3953-3 Z | GAS SPRING STUD (LID) |
| 2 | 1 / | Tagila. | D3953-5 <u></u> | GAS SPRING STUD (BASE) |
| 2 | 1 € | \ 1 | D3953-7 | GAS SPRING SPACER |
| 4 | 2 | <u>_2</u> | D3953-9 7 | GAS SPRING WASHER |
| 2 | 1 (| 1 | D3953-11 フ | GAS SPRING SPACER |
| 2 | | 1 | -D3953-13 | GAS SPRING SPACER |
| | 1 | | D3953-15 | GAS SPRING BRACKET |
| | 1 | | -D3953-17 | GAS SPRING SPACER |
| 2 | 1 / | 1 | -D3969-1 | GAS SPRING |
| 4 | 2 | 2_ | AN3C11A | BOLT |
| | 2 | | AN3C15A | BOLT |
| 4 | | /-2- | AN3C16A | BOLT |
| 4 | 2 | ₹2 | AN310-4 | CASTELLATED NUT |
| 8 | 4 | 4 | MS21043-3 | NUT |
| 4 | 2 | 2 | MS24665-212 7 | _COTTER PIN |
| 8 | 4 | 14 | NAS1149C0332R | /WASHER (OR AN960C10L) |
| 4 | 2 | ₹ 2 | NAS1149C0432R | ,WASHER (OR AN960C416L) |